

**9<sup>th</sup> Quarterly Report**  
**January-March 2023**  
**AESF Research Project #R-122**

**Electrochemical Approaches to Treatment of PFAS in Plating Wastewater**

by  
Qingguo (Jack) Huang\*, Yuqing Ji  
College of Agricultural and Environmental Science  
University of Georgia  
Griffin, GA, USA

**Editor's Note:** For 2021, NASF-AESF Foundation Research Board has selected a project on addressing the problem of PFAS and related chemicals in plating wastewater streams. This report covers the ninth quarter of work (January-March 2023). A printable PDF version of this report is available by clicking **HERE**.

**Introduction**

This project started in January 2021 with the goal of developing applicable electrochemical approaches to remove per- and polyfluoroalkyl substances (PFASs) present in plating wastewaters, including electrooxidation (EO) and electrocoagulation (EC). This project includes three research tasks that are designed to investigate EC, EO and EC-EO treatment train, respectively, designed to probe three hypotheses specified follows:

- 1) EC generates amorphous metal hydroxide flocs that can effectively adsorb PFASs in plating wastewater, which, through an appropriate treatment, can release PFASs into a concentrated solution.
- 2) EO enabled by a Magnéli phase Ti<sub>4</sub>O<sub>7</sub> anode can be used to effectively destruct PFASs in plating wastewater.
- 3) The electrochemical treatment train comprised of EC and EO by Ti<sub>4</sub>O<sub>7</sub> anode can remove and degrade PFASs in plating wastewater more efficiently than either process operated individually.

---

\* Principal Investigator (PI) Contact Information:  
Qingguo Huang, Ph.D,  
Professor, Department of Crop and Soil Sciences,  
University of Georgia,  
1109 Experiment St.,  
Griffin, GA 30215, USA.  
Phone: (770) 229-3302  
Fax: (770) 412-4734  
E-mail: qhuang@uga.edu

Our previous report described our work to prepare and characterize surface fluorinated Ti<sub>4</sub>O<sub>7</sub> anodes. The XPS test results have confirmed the anodes being successfully surface fluorinated using an electrodeposition procedure in a reactive electrochemical membrane (REM) reactor. In this quarterly report, we describe our work on evaluating the performance of PFAS degradation by electrooxidation using surface fluorinated Ti<sub>4</sub>O<sub>7</sub> anodes in batch mode.

## Experimental

Batch experiments of electrooxidation were conducted using an acrylic electrolytic cell (6.50 cm×5.50 cm×5.70 cm) containing 50-mL reaction solution. A pristine or a surface-fluorinated Ti<sub>4</sub>O<sub>7</sub> plate was placed in the middle as the anode, and two 316 stainless steel plates of the same size and shape as the anode were placed on either side in parallel at 2.50-cm gap as the cathodes, with a constant current density applied using a DC power source (Tacklife Inc, China). The reaction solution contained a mixture of PFOS, PFOA and 6:2 FTS (2.0 μM each), and 100-mM Na<sub>2</sub>SO<sub>4</sub> and 10-mM NaCl as supporting electrolytes. Duplicate 500-μL samples were taken at each prescribed interval for chemical analysis. A 400-μL aliquot was mixed with 400-μL methanol containing 80-ppb M8PFOS, M8PFOA and M2-6:2 FTS, filtered through a 0.22-μm polypropylene filter and then stored at 4°C for subsequent analysis of PFAS. All experiments were performed at room temperature at least twice to ensure consistent results.

## Results and Discussion

The batch experiments of EO treatment were performed at five different current densities, including 2.5, 5.0, 7.5, 10 and 15 mA·cm<sup>-2</sup>, for which the anodic potentials measured for each anode are summarized in Table 1.

**Table 1.** Current density and corresponding anodic potential on pristine and fluorinated Ti<sub>4</sub>O<sub>7</sub> anodes.

Current density (mA·cm <sup>-2</sup> )	Anodic potential (V vs SHE)				
	Pristine Ti <sub>4</sub> O <sub>7</sub>	F-2.31 Ti <sub>4</sub> O <sub>7</sub>	F-7.34 Ti <sub>4</sub> O <sub>7</sub>	F-11.4 Ti <sub>4</sub> O <sub>7</sub>	F-18.6 Ti <sub>4</sub> O <sub>7</sub>
2.5	2.72	2.78	2.79	2.81	2.84
5.0	2.99	3.00	3.02	3.14	3.18
7.5	3.29	3.31	3.34	3.41	3.48
10	3.50	3.54	3.54	3.59	3.61
15	3.90	3.94	3.98	4.10	4.12

The degradation of PFOA, PFOS and 6:2 FTS in all systems appeared to follow pseudo-first order kinetic model, the observed reaction rate constant  $k_{obs,PFAS}$  of PFAS degradation was calculated by data fitting to equation:

$$-\ln \frac{C_{t,PFAS}}{C_{0,PFAS}} = k_{obs,PFAS} \times t \quad (1)$$


where  $C_{0,PFAS}$  is the substrate concentration at time zero (mol·L<sup>-1</sup>);  $C_{t,PFAS}$  is the substrate concentration (mol·L<sup>-1</sup>) at time  $t$  (s), PFAS in the subscript can be PFOA, PFOS or 6:2 FTS.

It should be noted that different anodes had different effective electroactive surface area to solution volume ratio. Therefore, PFAS degradation rate constant normalized to effective electroactive surface area ( $k_{SA,PFAS}$ ) was calculated to facilitate the comparison of reactivity among different pristine and surface fluorinated  $Ti_4O_7$  anodes. The surface area normalized reaction rate constant ( $k_{SA,PFAS}$ ) was calculated by the following equation (2) (Valentine Richard and Wang, 1998):

$$k_{SA,PFAS} = k_{obs,PFAS} \times \frac{V}{S} \quad (2)$$

Where  $S$  is the effective electroactive surface area of the anode ( $m^2$ ),  $V$  is the volume of the reaction solution ( $m^3$ ) corresponding to the effective electroactive surface area, PFAS in the subscript can be PFOA, PFOS or 6:2 FTS.


The change of the concentrations of PFOA, PFOS and 6:2 FTS during EO with the pristine and fluorinated  $Ti_4O_7$  anodes at  $5 \text{ mA}\cdot\text{cm}^{-2}$  are presented in Figure 1. Over 99% removal of all three PFASs was observed within 8 hours of EO treatment on the pristine and all fluorinated anodes.



**Figure 1.** The degradation of PFOA (A), PFOS (B) and 6:2 FTS (C) during EO with pristine and fluorinated  $Ti_4O_7$  anodes at  $5 \text{ mA}\cdot\text{cm}^{-2}$  in a mixture solution containing each of the three PFAS at  $2.0\text{-}\mu\text{M}$  initial concentration. Supporting electrolytes:  $100\text{-mM Na}_2\text{SO}_4 + 10\text{-mM NaCl}$ . Error bar represents standard deviations of replicates.

The observed reaction rate constant and the surface area normalized rate constant for the degradation of PFOA, PFOS and 6:2 FTS on pristine and fluorinated  $Ti_4O_7$  anodes are displayed in Figure 2. It is evident that the observed reaction rate constants for all three PFASs were the highest for the system with the pristine  $Ti_4O_7$  anode and decreased with increasing fluorination percentage on the anode surface. Taking the reaction rates at  $10 \text{ mA}\cdot\text{cm}^{-2}$  as an example,  $k_{obs,PFOA}$  decreased 4.63%, 7.20%, 10.3% and 20.2% on F-2.31, F-7.34, F-11.4 and F-18.6  $Ti_4O_7$  anode respectively, in comparison to the pristine  $Ti_4O_7$  anode (Figure 2A), while the anodic potential increased slightly from 3.50 V for pristine  $Ti_4O_7$  anode to 3.61 V for F-18.6 anode (Table 2). Similar trends were observed for  $k_{obs,PFOS}$  and  $k_{obs,6:2 FTS}$  (Figure 2B and 2C) as well. When the rate constants were normalized to the EESA, larger differences were seen between the pristine and fluorinated anodes. For example, the  $k_{SA,PFOA}$  decreased 45.0%, 82.5%, 89.2% and 92.4% on F-2.31, F-7.34, F-11.4 and F-18.6  $Ti_4O_7$  anode, respectively, compared to the pristine  $Ti_4O_7$  anode (Figure 2D), and the trends of  $k_{SA,PFOS}$  and  $k_{SA,6:2 FTS}$  were similar (Figure 2E and 2F). This suggests that the intrinsic reactivity of the  $Ti_4O_7$  anode towards PFAS was reduced upon surface fluorination, while the reduction of performance was compensated by the increased EESA of the

anodes resulting from fluorination (Table 3). Control experiments were performed in the same system with no current applied on pristine and F-18.6 Ti<sub>4</sub>O<sub>7</sub> anodes. The result indicates that adsorption of PFOA, PFOS and 6:2 FTS on both the pristine and fluorinated Ti<sub>4</sub>O<sub>7</sub> anodes are minimal.



**Figure 2.** Observed reaction rate constant  $k_{obs,PFAS}$  in relation to the anodic potential for PFOA (A), PFOS (B) and 6:2 FTS (C) degradation using pristine and fluorinated Ti<sub>4</sub>O<sub>7</sub> anodes. Surface area normalized  $k_{SA,PFAS}$  in relation to the anodic potential for PFOA (D), PFOS (E) and 6:2 FTS (F) degradation using pristine and fluorinated Ti<sub>4</sub>O<sub>7</sub> anodes. Initial PFAS concentration: 2  $\mu$ M, supporting electrolyte: 100-mM Na<sub>2</sub>SO<sub>4</sub> + 10-mM NaCl. Error bar represents standard deviations of replicates.

**Table 2.** Current density and corresponding anodic potential on pristine and fluorinated Ti<sub>4</sub>O<sub>7</sub> anodes.

Current density (mA·cm <sup>-2</sup> )	Anodic potential (V vs SHE)				
	Pristine Ti <sub>4</sub> O <sub>7</sub>	F-2.31 Ti <sub>4</sub> O <sub>7</sub>	F-7.34 Ti <sub>4</sub> O <sub>7</sub>	F-11.4 Ti <sub>4</sub> O <sub>7</sub>	F-18.6 Ti <sub>4</sub> O <sub>7</sub>
2.5	2.72	2.78	2.79	2.81	2.84
5.0	2.99	3.00	3.02	3.14	3.18
7.5	3.29	3.31	3.34	3.41	3.48
10	3.50	3.54	3.54	3.59	3.61
15	3.90	3.94	3.98	4.10	4.12

**Table 3.** Total, outer and inner charge values and EESA of pristine and fluorinated Ti<sub>4</sub>O<sub>7</sub> anodes.

<b>Anode</b>	<b><math>q_T^*</math> (mC·cm<sup>-2</sup>)</b>	<b><math>q_O^*</math> (mC·cm<sup>-2</sup>)</b>	<b><math>q_I^*</math> (mC·cm<sup>-2</sup>)</b>	<b>RF</b>	<b>EESA (cm<sup>2</sup>·g<sup>-1</sup>)</b>
<b>Pristine Ti<sub>4</sub>O<sub>7</sub></b>	95.24	3.62	91.62	81.67	7.62
<b>F-2.31 Ti<sub>4</sub>O<sub>7</sub></b>	100.38	5.26	95.12	101.67	13.1
<b>F-7.34 Ti<sub>4</sub>O<sub>7</sub></b>	68.97	9.10	59.86	118.33	38.4
<b>F-11.4 Ti<sub>4</sub>O<sub>7</sub></b>	29.59	8.39	21.19	88.33	61.6
<b>F-18.6 Ti<sub>4</sub>O<sub>7</sub></b>	31.06	9.87	21.19	108.33	84.7

## References

1. Valentine Richard, L., Wang, H.C.A., 1998. Iron Oxide Surface Catalyzed Oxidation of Quinoline by Hydrogen Peroxide. *Journal of Environmental Engineering* 124, 31-38.

## Past project reports

1. Introduction to Project R-122: Summary: *NASF Report in Products Finishing; NASF Surface Technology White Papers*, **85** (6), 13 (March 2021); Full paper: <http://short.pfonline.com/NASF21Mar1>.
2. Quarter 1 (January-March 2021): Summary: *NASF Report in Products Finishing; NASF Surface Technology White Papers*, **85** (12), 13 (September 2021); Full paper: <http://short.pfonline.com/NASF21Sep1>.
3. Quarter 2 (April-June 2021): Summary: *NASF Report in Products Finishing; NASF Surface Technology White Papers*, **86** (3), 18 (December 2021); Full paper: <http://short.pfonline.com/NASF21Dec2>.
4. Quarter 3 (July-September 2021): Summary: *NASF Report in Products Finishing; NASF Surface Technology White Papers*, **86** (6), 11-14 (March2022); Full paper: <http://short.pfonline.com/NASF22Mar2>.
5. Quarter 4 (October-December 2021): Summary: *NASF Report in Products Finishing; NASF Surface Technology White Papers*, **86** (9), 5-8 (June2022); Full paper: <http://short.pfonline.com/NASF22Jun2>.
6. Quarter 5 (January-March 2022): Summary: *NASF Report in Products Finishing; NASF Surface Technology White Papers*, **86** (12), 5-9 (June2022); Full paper: <http://short.pfonline.com/NASF22Sep2>.
7. Quarter 6 (April-June 2022): Summary: *NASF Report in Products Finishing; NASF Surface Technology White Papers*, **87** (3), 1-4 (December 2022); Full paper: <http://short.pfonline.com/NASF22Dec1>.
8. Quarter 7 (July-September 2022): Summary: *NASF Report in Products Finishing; NASF Surface Technology White Papers*, **87** (6), 9-11 (March 2023); Full paper: <http://short.pfonline.com/NASF23Mar2>.
9. Quarter 8 (October-December 2022): <https://www.pfonline.com/articles/nasfaesf-foundation-research-project-122-electrochemical-approaches-to-treatment-of-pfas-in-plating-wastewater---8th-quarterly-report>.

## About the author



**Qingguo (Jack) Huang** is Professor in the Department of Crop and Soil Sciences, University of Georgia, Griffin Campus. He holds a B.S. in Environmental Science (1990) and a Ph.D. in Chemistry (1995) from Nanjing University, China as well as a Ph.D. in Environmental Engineering from the University of Michigan, Ann Arbor, Michigan. Dr. Huang's research interest focuses on catalysis involved in the environmental transformation of organic pollutants, and development of catalysis-based technology for pollution control and environmental remediation and management. His laboratory has been actively involved in several cutting-edge research topics:

- Enzyme-based technology for water/wastewater treatment and soil remediation
- Electrochemical and reactive electrochemical membrane processes in wastewater treatment
- Catalysis in biofuel production and agro-ecosystem management
- Environmental fate and destructive treatment methods of PFASs
- Environmental application and implication of nanomaterials

He has published over 170 peer-reviewed journal articles and five book chapters, and had six patents awarded. He has taught three courses at the University Georgia: Introduction to Water Quality, Environmental Measurement, and Advanced Instrumental Analysis in Environmental Studies.